NSN 6110-01-307-6522

Motor Controller - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/6110-01-307-6522

Speed Adjustments:
Two speed
Hazardous Locations/environmental Protection:
Dripproof
Overall Length:
36.780 inches
Overall Height:
12.500 inches
Overall Width:
26.120 inches
Ac Voltage Rating:
440.0 volts
Frequency Rating:
60.0 hertz
Actuation Method:
Magnetic
End Application:
Elevator system
Fuse Accommodation Quantity:
2
Size Designator:
4
Duty Cycle:
Continuous
Mounting Configuration:
Eight 21/32 diameter holes for 5/8 in mtg bolts
Horsepower Rating:
100.000
Fuse Current Rating In Amps:
10.0
Load Protection Type:
Undervoltage and overload
Ambient Temp:
50.0 degrees celsius
Inclosure Feature:
Dripproof
National Electrical Manufacturers Association Standards Design:
Designed per nema std
Switch Functional Positions:
On and test and time
0.4.17
Control Type:

NSN 6110-01-307-6522

Motor Controller - Page 2 of 2



Features	Prov	·hahiy
realules	FIUV	iueu.

Circuit protection fuse

Phase:

Three

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A541b0