NSN 6110-01-318-6536

Motor Starter - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/6110-01-318-6536

Speed Adjustments:
Single speed
Hazardous Locations/environmental Protection:
Dripproof
Overall Length:
22.125 inches
Overall Height:
14.750 inches
Overall Width:
9.125 inches
Ac Voltage Rating:
440.0 volts
Frequency Rating:
60.0 hertz
Actuation Method:
Magnetic
End Application:
Electrical control equipment
Fuse Accommodation Quantity:
2 and 2
Size Designator:
1
Duty Cycle:
Continuous
Mounting Configuration:
Six 15/32 holes for 7/16 mtg bolts, rear of enclosure
Operating Voltage Characteristic:
Full
Horsepower Rating:
10.000
Actuator Voltage:
Actuator Voltage: 440.0 ac
440.0 ac
440.0 ac Fuse Current Rating In Amps:
440.0 ac Fuse Current Rating In Amps: 5.0 and 10.0
440.0 ac Fuse Current Rating In Amps: 5.0 and 10.0 Load Protection Type:
440.0 ac Fuse Current Rating In Amps: 5.0 and 10.0 Load Protection Type: Overload and undervoltage
440.0 ac Fuse Current Rating In Amps: 5.0 and 10.0 Load Protection Type: Overload and undervoltage Ambient Temp:
440.0 ac Fuse Current Rating In Amps: 5.0 and 10.0 Load Protection Type: Overload and undervoltage Ambient Temp: 50.0 degrees celsius

Designed per nema std

NSN 6110-01-318-6536 Motor Starter - Page 2 of 2



Amp Size Rating:
27.0
Control Type:
Local
Features Provided:
Circuit protection fuse
Phase:
Three
Frequency In Hertz:
60.0
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:

No Fiig: A541c0