## NSN 6110-01-334-3961

Motor Starter - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/6110-01-334-3961

## Speed Adjustments:

Single speed

### Hazardous Locations/environmental Protection:

Dripproof

## **Overall Length:**

22.000 inches

#### **Overall Height:**

22.000 inches

#### **Overall Width:**

14.000 inches

#### Ac Voltage Rating:

440.0 volts

#### **Frequency Rating:**

60.0 hertz

#### **Actuation Method:**

Magnetic

## **End Application:**

Electrical control equipment

## **Fuse Accommodation Quantity:**

2

#### Size Designator:

0

#### Duty Cycle:

Continuous

### **Mounting Configuration:**

Four 15/32 in holes for 7/16 in mtg bolts

#### **Operating Voltage Characteristic:**

Full

#### Horsepower Rating:

5.000

#### Actuator Voltage:

115.0 ac

#### **Fuse Current Rating In Amps:**

3.0

#### Load Protection Type:

Overload and undervoltage

## Ambient Temp:

50.0 degrees celsius

## Inclosure Feature:

Dripproof

#### National Electrical Manufacturers Association Standards Design:

Designed per nema std

# NSN 6110-01-334-3961

Motor Starter - Page 2 of 2

Amp Size Rating:

18.0

Control Type:

Local or remote

**Features Provided:** 

Circuit protection fuse

Phase:

Three

Frequency In Hertz:

60.0

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A541c0

