NSN 6110-01-340-4885

Motor Starter - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/6110-01-340-4885

Speed Adjustments:
Single speed
Hazardous Locations/environmental Protection:
Dripproof
Overall Height:
32.000 inches
Overall Width:
24.000 inches
Ac Voltage Rating:
440.0 volts
Frequency Rating:
60.0 hertz
Actuation Method:
Magnetic
End Application:
Fire pump
Fuse Accommodation Quantity:
2
Duty Cycle:
Continuous
Operating Voltage Characteristic:
Full
Horsepower Rating:
200.000
Actuator Voltage:
110.0 ac
Fuse Current Rating In Amps:
10.0
Load Protection Type:
Overload and undervoltage
Ambient Temp:
50.0 degrees celsius
Inclosure Feature:
Dripproof
National Electrical Manufacturers Association Standards Design:
Not designed per nema std
Amp Size Rating:
270.0
Control Type:
Local
Features Provided:

NSN 6110-01-340-4885

Motor Starter - Page 2 of 2



Three
Frequency In Hertz:
60.0
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A541c0

Mil-std (military Standard):

Mil-c-2212 spec.

Phase: