NSN 6110-01-343-7506

Motor Controller - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/6110-01-343-7506

| Speed Adjustments: |
|---|
| Single speed |
| Overall Length: |
| 24.000 inches |
| Overall Height: |
| 8.000 inches |
| Overall Width: |
| 22.000 inches |
| Ac Voltage Rating: |
| 440.0 volts |
| Frequency Rating: |
| 60.0 hertz |
| Actuation Method: |
| Magnetic |
| Fuse Accommodation Quantity: |
| 2 |
| Size Designator: |
| 2 |
| Duty Cycle: |
| Continuous |
| Operating Voltage Characteristic: |
| Full |
| Actuator Voltage: |
| 115.0 ac |
| Fuse Current Rating In Amps: |
| 10.0 |
| Load Protection Type: |
| Overload and undervoltage |
| Ambient Temp: |
| 50.0 degrees celsius |
| Inclosure Feature: |
| Dripproof |
| National Electrical Manufacturers Association Standards Design: |
| Designed per nema std |
| Switch Functional Positions: |
| Forward and emergency run and reverse |
| Control Type: |
| Remote |
| Features Provided: |
| Reversible and circuit protection fuse |
| Phase: |

Three

NSN 6110-01-343-7506

Motor Controller - Page 2 of 2



| Frequency l | In F | lertz: |
|-------------|------|--------|
|-------------|------|--------|

60.0

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A541b0