NSN 6110-01-353-6357

Motor Controller - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/6110-01-353-6357

Speed Adjustments: Two speed Hazardous Locations/environmental Protection: Dripproof Overall Length: 30.120 inches Overall Height: 40.120 inches Overall Width: 12.380 inches Ac Voltage Rating: 440.0 volts Frequency Rating:
Hazardous Locations/environmental Protection: Dripproof Overall Length: 30.120 inches Overall Height: 40.120 inches Overall Width: 12.380 inches Ac Voltage Rating: 440.0 volts Frequency Rating:
Dripproof Overall Length: 30.120 inches Overall Height: 40.120 inches Overall Width: 12.380 inches Ac Voltage Rating: 440.0 volts Frequency Rating:
Overall Length: 30.120 inches Overall Height: 40.120 inches Overall Width: 12.380 inches Ac Voltage Rating: 440.0 volts Frequency Rating:
30.120 inches Overall Height: 40.120 inches Overall Width: 12.380 inches Ac Voltage Rating: 440.0 volts Frequency Rating:
Overall Height: 40.120 inches Overall Width: 12.380 inches Ac Voltage Rating: 440.0 volts Frequency Rating:
40.120 inches Overall Width: 12.380 inches Ac Voltage Rating: 440.0 volts Frequency Rating:
Overall Width: 12.380 inches Ac Voltage Rating: 440.0 volts Frequency Rating:
12.380 inches Ac Voltage Rating: 440.0 volts Frequency Rating:
Ac Voltage Rating: 440.0 volts Frequency Rating:
440.0 volts Frequency Rating:
Frequency Rating:
00.0
60.0 hertz
Actuation Method:
Magnetic
Fuse Accommodation Quantity:
4
Size Designator:
4
Duty Cycle:
Continuous
Operating Voltage Characteristic:
Full
Horsepower Rating:
100.000
Fuse Current Rating In Amps:
10.0
Load Protection Type:
Overload and undervoltage
Ambient Temp:
50.0 degrees celsius
Inclosure Feature:
Dripproof
National Electrical Manufacturers Association Standards Design:
Designed per nema std
Control Type:
Local
Features Provided:
Reversible and circuit protection fuse
Phase:

Three

NSN 6110-01-353-6357

Motor Controller - Page 2 of 2



_					
•	n	0 1	•	12	e:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A541b0