NSN 6110-01-367-2165

Motor Controller - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/6110-01-367-2165

Speed Adjustments:
Two speed
Ac Voltage Rating:
230.0 volts and 460.0 volts
Frequency Rating:
60.0 hertz
Actuation Method:
Magnetic
Performance Type:
Automatic
Duty Cycle:
Continuous
Operating Voltage Characteristic:
Full
Horsepower Rating:
3.000 and 5.000
Actuator Voltage:
115.0 ac
Ambient Temp:
Ambient Temp: 50.0 degrees celsius
50.0 degrees celsius
50.0 degrees celsius National Electrical Manufacturers Association Standards Design:
50.0 degrees celsius National Electrical Manufacturers Association Standards Design: Not designed per nema std
50.0 degrees celsius National Electrical Manufacturers Association Standards Design: Not designed per nema std Control Type:
50.0 degrees celsius National Electrical Manufacturers Association Standards Design: Not designed per nema std Control Type: Remote
50.0 degrees celsius National Electrical Manufacturers Association Standards Design: Not designed per nema std Control Type: Remote Features Provided:
50.0 degrees celsius National Electrical Manufacturers Association Standards Design: Not designed per nema std Control Type: Remote Features Provided: Reversible
50.0 degrees celsius National Electrical Manufacturers Association Standards Design: Not designed per nema std Control Type: Remote Features Provided: Reversible Phase:
50.0 degrees celsius National Electrical Manufacturers Association Standards Design: Not designed per nema std Control Type: Remote Features Provided: Reversible Phase: Three
50.0 degrees celsius National Electrical Manufacturers Association Standards Design: Not designed per nema std Control Type: Remote Features Provided: Reversible Phase: Three Shelf Life:
50.0 degrees celsius National Electrical Manufacturers Association Standards Design: Not designed per nema std Control Type: Remote Features Provided: Reversible Phase: Three Shelf Life: N/a
50.0 degrees celsius National Electrical Manufacturers Association Standards Design: Not designed per nema std Control Type: Remote Features Provided: Reversible Phase: Three Shelf Life: N/a
National Electrical Manufacturers Association Standards Design: Not designed per nema std Control Type: Remote Features Provided: Reversible Phase: Three Shelf Life: N/a Unit Of Measure:
National Electrical Manufacturers Association Standards Design: Not designed per nema std Control Type: Remote Features Provided: Reversible Phase: Three Shelf Life: N/a Unit Of Measure: Demilitarization:
National Electrical Manufacturers Association Standards Design: Not designed per nema std Control Type: Remote Features Provided: Reversible Phase: Three Shelf Life: N/a Unit Of Measure: Demilitarization: No