NSN 6110-01-371-0517

Electric Brake - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/6110-01-371-0517

Torque Load Rating: 50.000 foot-pounds Current Type: Ac Brake Type: Disk Actuator Type: Solenoid Electrical Section Inclosure Type: Dust tight or watertight Mechanical Section Inclosure Type: Dust tight and watertight Voltage In Volts: 115.0 or 230.0 Phase: Three Frequency In Hertz: 60.0 Shelf Life: N/a Unit Of Measure: Demilitarization:
Current Type: Ac Brake Type: Disk Actuator Type: Solenoid Electrical Section Inclosure Type: Dust tight or watertight Mechanical Section Inclosure Type: Dust tight and watertight Voltage In Volts: 115.0 or 230.0 Phase: Three Frequency In Hertz: 60.0 Shelf Life: N/a Unit Of Measure:
Brake Type: Disk Actuator Type: Solenoid Electrical Section Inclosure Type: Dust tight or watertight Mechanical Section Inclosure Type: Dust tight and watertight Voltage In Volts: 115.0 or 230.0 Phase: Three Frequency In Hertz: 60.0 Shelf Life: N/a Unit Of Measure:
Brake Type: Disk Actuator Type: Solenoid Electrical Section Inclosure Type: Dust tight or watertight Mechanical Section Inclosure Type: Dust tight and watertight Voltage In Volts: 115.0 or 230.0 Phase: Three Frequency In Hertz: 60.0 Shelf Life: N/a Unit Of Measure:
Disk Actuator Type: Solenoid Electrical Section Inclosure Type: Dust tight or watertight Mechanical Section Inclosure Type: Dust tight and watertight Voltage In Volts: 115.0 or 230.0 Phase: Three Frequency In Hertz: 60.0 Shelf Life: N/a Unit Of Measure:
Actuator Type: Solenoid Electrical Section Inclosure Type: Dust tight or watertight Mechanical Section Inclosure Type: Dust tight and watertight Voltage In Volts: 115.0 or 230.0 Phase: Three Frequency In Hertz: 60.0 Shelf Life: N/a Unit Of Measure:
Solenoid Electrical Section Inclosure Type: Dust tight or watertight Mechanical Section Inclosure Type: Dust tight and watertight Voltage In Volts: 115.0 or 230.0 Phase: Three Frequency In Hertz: 60.0 Shelf Life: N/a Unit Of Measure:
Electrical Section Inclosure Type: Dust tight or watertight Mechanical Section Inclosure Type: Dust tight and watertight Voltage In Volts: 115.0 or 230.0 Phase: Three Frequency In Hertz: 60.0 Shelf Life: N/a Unit Of Measure:
Dust tight or watertight Mechanical Section Inclosure Type: Dust tight and watertight Voltage In Volts: 115.0 or 230.0 Phase: Three Frequency In Hertz: 60.0 Shelf Life: N/a Unit Of Measure:
Mechanical Section Inclosure Type: Dust tight and watertight Voltage In Volts: 115.0 or 230.0 Phase: Three Frequency In Hertz: 60.0 Shelf Life: N/a Unit Of Measure:
Dust tight and watertight Voltage In Volts: 115.0 or 230.0 Phase: Three Frequency In Hertz: 60.0 Shelf Life: N/a Unit Of Measure:
Voltage In Volts: 115.0 or 230.0 Phase: Three Frequency In Hertz: 60.0 Shelf Life: N/a Unit Of Measure:
115.0 or 230.0 Phase: Three Frequency In Hertz: 60.0 Shelf Life: N/a Unit Of Measure:
Phase: Three Frequency In Hertz: 60.0 Shelf Life: N/a Unit Of Measure:
Three Frequency In Hertz: 60.0 Shelf Life: N/a Unit Of Measure:
Frequency In Hertz: 60.0 Shelf Life: N/a Unit Of Measure:
60.0 Shelf Life: N/a Unit Of Measure:
Shelf Life: N/a Unit Of Measure:
N/a Unit Of Measure:
Unit Of Measure:
Demilitarization:
No
Fiig:
T129-a