Motor Starter - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/6110-01-373-3486

| Speed Adjustments:   |       |
|--|-------|
| Two speed  |       |
| Frequency Rating:  |       |
| 60.0 hertz   |       |
| Actuation Method:  |       |
| Magnetic   |       |
| Performance Type:  |       |
| Automatic  |       |
| Fuse Accommodation Quantity:                               |       |
| 1  |       |
| Size Designator:   |       |
| 1  |       |
| Duty Cycle:  |       |
| Continuous   |       |
| Operating Voltage Characteristic:                          |       |
| Full   |       |
| Horsepower Rating:   |       |
| 7.500 and 10.000   |       |
| Actuator Voltage:  |       |
| 120.0 ac   |       |
| Fuse Current Rating In Amps:                               |       |
| 30.0   |       |
| Load Protection Type:                                      |       |
| Overload   |       |
| National Electrical Manufacturers Association Standards De | sign: |
| Designed per nema std                                      |       |
| Amp Size Rating:   |       |
| 30.0   |       |
| Features Provided:   |       |
| Circuit protection fuse                                    |       |
| Phase:   |       |
| Three  |       |
| Shelf Life:  |       |
| N/a  |       |
| Unit Of Measure:   |       |
|  |       |
| Demilitarization:  |       |
| No   |       |
| Fiig:  |       |
| A541c0   |       |