NSN 6110-01-385-8463

Motor Starter - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/6110-01-385-8463

Speed Adjustments: Single speed Overall Height: 24.000 inches Overall Width: 20.000 inches Ac Voltage Rating: 480.0 volts Frequency Rating: 60.0 hertz Actuation Method:
Overall Height: 24.000 inches Overall Width: 20.000 inches Ac Voltage Rating: 480.0 volts Frequency Rating: 60.0 hertz Actuation Method:
24.000 inches Overall Width: 20.000 inches Ac Voltage Rating: 480.0 volts Frequency Rating: 60.0 hertz Actuation Method:
Overall Width: 20.000 inches Ac Voltage Rating: 480.0 volts Frequency Rating: 60.0 hertz Actuation Method:
20.000 inches Ac Voltage Rating: 480.0 volts Frequency Rating: 60.0 hertz Actuation Method:
Ac Voltage Rating: 480.0 volts Frequency Rating: 60.0 hertz Actuation Method:
480.0 volts Frequency Rating: 60.0 hertz Actuation Method:
Frequency Rating: 60.0 hertz Actuation Method:
60.0 hertz Actuation Method:
Actuation Method:
Magnatia
Magnetic Performance Type:
Automatic
Fuse Accommodation Quantity:
3
Size Designator:
12
Duty Cycle:
Continuous
Mounting Configuration:
Two holes 10ins apart at the top, two holes 16.750ins apart at the bottom size .250. Operating Voltage Characteristic:
Full
Actuator Voltage:
120.0 ac
Fuse Current Rating In Amps:
3.0
Load Protection Type:
Overload
Ambient Temp:
60.0 degrees celsius
Inclosure Feature:
Dripproof National Electrical Manufacturers Association Standards Design:
Designed per nema std
Control Type: Remote
Features Provided:
Circuit protection fuse
Phase:

Three

NSN 6110-01-385-8463

Motor Starter - Page 2 of 2



_					
٠.	n	_	I+	18	e:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A541c0