NSN 6110-01-527-2296

Motor Controller - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/6110-01-527-2296

Hazardous Locations/environmental Protection:
Dripproof and explosion proof and submersible and moisture resistant and hazardous location, class i, group d, nema type 7
Overall Length:
19.800 inches
Overall Height:
11.380 inches
Overall Width:
8.940 inches
Ac Voltage Rating:
440.0 volts
Frequency Rating:
60.0 hertz
Actuation Method:
Magnetic
End Application:
Naval applications; uh helicopters
Performance Type:
Automatic
Size Designator:
4
Duty Cycle:
Continuous
Mounting Configuration:
4 each 17/32 inch diameter holes for 1/2 inch mounting bolts through enclosure wall
Operating Voltage Characteristic:
Full
Horsepower Rating:
75.000
Actuator Voltage:
440.0 ac
Load Protection Type:
Overload
Ambient Temp:
50.0 degrees celsius
Inclosure Feature:

Designed per nema std

Amp Size Rating:

Switch Functional Positions:

Dripproof and explosion proof and submersible and protected

National Electrical Manufacturers Association Standards Design:

Automatic

135.0

NSN 6110-01-527-2296

Motor Controller - Page 2 of 2



Control Type:	
Remote	
Features Provided:	
Accessory location internal	
Product Name:	
Controller, ac magnetic size 4	
Phase:	
Гhree	
Special Features:	
Enclosure & components are shockproof, grade a, class 1 of mil-s-901; auxillary contacts are hi-shockproof	
Frequency In Hertz:	
60.0	
Shelf Life:	
N/a	
Unit Of Measure:	
-	
Demilitarization:	
No	
Filg:	
A541b0	