Motor Controller - Page 1 of 2



Hazardous Locations/environmental Protection: General purpose-nema type 1 Ac Voltage Rating: 450.0 volts Frequency Rating: 60.0 hertz Actuation Method: Magnetic End Application: Aer 28/00, lhd 4 boxer; fan coil unit for ammo mag power system modifications Fuse Accommodation Quantity: 2 Size Designator: 1 Duty Cycle:
Ac Voltage Rating: 450.0 volts Frequency Rating: 60.0 hertz Actuation Method: Magnetic End Application: Aer 28/00, Ihd 4 boxer; fan coil unit for ammo mag power system modifications Fuse Accommodation Quantity: 2 Size Designator: 1
Ac Voltage Rating: 450.0 volts Frequency Rating: 60.0 hertz Actuation Method: Magnetic End Application: Aer 28/00, Ihd 4 boxer; fan coil unit for ammo mag power system modifications Fuse Accommodation Quantity: 2 Size Designator: 1
450.0 volts Frequency Rating: 60.0 hertz Actuation Method: Magnetic End Application: Aer 28/00, Ihd 4 boxer; fan coil unit for ammo mag power system modifications Fuse Accommodation Quantity: 2 Size Designator: 1
60.0 hertz Actuation Method: Magnetic End Application: Aer 28/00, Ihd 4 boxer; fan coil unit for ammo mag power system modifications Fuse Accommodation Quantity: 2 Size Designator: 1
60.0 hertz Actuation Method: Magnetic End Application: Aer 28/00, Ihd 4 boxer; fan coil unit for ammo mag power system modifications Fuse Accommodation Quantity: 2 Size Designator: 1
Actuation Method: Magnetic End Application: Aer 28/00, Ihd 4 boxer; fan coil unit for ammo mag power system modifications Fuse Accommodation Quantity: 2 Size Designator: 1
Magnetic End Application: Aer 28/00, Ihd 4 boxer; fan coil unit for ammo mag power system modifications Fuse Accommodation Quantity: 2 Size Designator: 1
End Application: Aer 28/00, Ihd 4 boxer; fan coil unit for ammo mag power system modifications Fuse Accommodation Quantity: 2 Size Designator: 1
Aer 28/00, Ihd 4 boxer; fan coil unit for ammo mag power system modifications <b>Fuse Accommodation Quantity:</b> 2 <b>Size Designator:</b> 1
Fuse Accommodation Quantity: 2 Size Designator: 1
2 Size Designator: 1
Size Designator:
1
Continuous and variable
Operating Voltage Characteristic:
Full or reduced
Voltage Reduction Method:
Autotransformer
Full Voltage Restoring Method:
Current limit acceleration
Horsepower Rating:
0.500
Actuator Voltage:
450.0 ac
Fuse Current Rating In Amps:
0.7
Load Protection Type:
Overload and undervoltage release and short circuit and undervoltage
Ambient Temp:
50.0 degrees celsius
Inclosure Feature:
Dripproof and explosion proof and moisture proof and spray tight
National Electrical Manufacturers Association Standards Design:
Designed per nema std
Amp Size Rating:
27.0
Control Type:
Local or remote
Features Provided:
Accessory location internal and circuit protection fuse

# NSN 6110-01-527-5315

Motor Controller - Page 2 of 2



#### **Product Name:**

Controller, magnetic, size 1, lvr, 450vac 3ph 60hz

# Phase:

Three

## **Special Features:**

2 controllers required for full operation of all fan coil systems; low voltage release

## Frequency In Hertz:

60.0

# Shelf Life:

N/a

### Unit Of Measure:

--

# Demilitarization:

No

Fiig:

A541b0