NSN 6110-01-529-7654

Motor Controller - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/6110-01-529-7654

Hazardous Locations/environmental Protection:
Dripproof
Overall Length:
26.120 inches
Overall Height:
15.800 inches
Overall Width:
16.120 inches
Ac Voltage Rating:
440.0 volts
Frequency Rating:
60.0 hertz
Actuation Method:
Magnetic
End Application:
Assembly drawing number 84-28246
Fuse Accommodation Quantity:
6
Size Designator:
2
Duty Cycle:
Continuous
Mounting Configuration:
4 holes 0.531 inch diameter for 0.500 mounting bolts
Operating Voltage Characteristic:
Full
Horsepower Rating:
25.000
Actuator Voltage:
440.0 ac
Fuse Current Rating In Amps:
10.0 and 30.0
Load Protection Type:
Overload and undervoltage
Ambient Temp:
50.0 degrees celsius
Inclosure Feature:
Protected and dripproof
National Electrical Manufacturers Association Standards Design:
Designed per nema std
Switch Functional Positions:

Emergency run and reset and run and start and stop

NSN 6110-01-529-7654Motor Controller - Page 2 of 2



Control Type:
Local or remote
Features Provided:
Accessory location internal and circuit protection fuse
Product Name:
Controller ac magnetic size 2
Phase:
Three
Special Features:
Distribution statement c; shockproof grade a, class 1 of mil-s-901
Frequency In Hertz:
60.0
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A541b0