Motor Controller - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/6110-01-535-7138

Hazardous Locations/environmental Protection:
Dripproof
Overall Length:
14.100 inches
Overall Height:
18.120 inches
Overall Width:
10.500 inches
Ac Voltage Rating:
110 Qualta

440.0 volts

Frequency Rating:

60.0 hertz

Actuation Method:

Magnetic

End Application:

Motor terminals

Fuse Accommodation Quantity:

3

Size Designator:

1

Duty Cycle:

Continuous

Mounting Configuration:

Four 17/32dia holes forr 1/2dia mounting bolts

Operating Voltage Characteristic:

Full

Horsepower Rating:

10.000

Actuator Voltage:

440.0 ac

Fuse Current Rating In Amps:

10.0

Load Protection Type:

Undervoltage and overload

Ambient Temp:

50.0 degrees celsius

Inclosure Feature:

Dripproof

National Electrical Manufacturers Association Standards Design:

Designed per nema std

Switch Functional Positions:

Slow and fast and stop and safe-run

NSN 6110-01-535-7138

Motor Controller - Page 2 of 2



Control Type:

Local or remote

Features Provided:

Accessory location external and circuit protection fuse

Product Name:

Controller a.C. Magnetic 2 speed 2 winding size 1

Phase:

Three

Special Features:

Shockproof grade a class 1 of mil-s-901; 2 speed 2 windings

Frequency In Hertz:

60.0

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A541b0