NSN 6110-01-539-7332

Motor Controller - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/6110-01-539-7332

Hazardous Locations/environmental Protection:
Watertight
Overall Length:
17.380 inches
Overall Height:
27.120 inches
Overall Width:
9.980 inches
Ac Voltage Rating:
440.0 volts
Frequency Rating:
60.0 hertz
Actuation Method:
Magnetic
End Application:
Padeye operations motor
Fuse Accommodation Quantity:
2
Size Designator:
2
Duty Cycle:
Continuous
Mounting Configuration:
Four holes 0.656dia for 0.625dia mounting bolts
Operating Voltage Characteristic:
Full
Horsepower Rating:
25.000
Actuator Voltage:
440.0 ac
Fuse Current Rating In Amps:
5.0
Load Protection Type:
Overload and undervoltage
Ambient Temp:
50.0 degrees celsius
Inclosure Feature:
Watertight
National Electrical Manufacturers Association Standards Design:
Designed per nema std
Switch Functional Positions:

Up and down and reset and emergency run

NSN 6110-01-539-7332 Motor Controller - Page 2 of 2



Control Type:
Remote
Features Provided:
Accessory location external and circuit protection fuse
Product Name:
Controller a.C. Magnetic size 2
Phase:
Three
Special Features:
Shockproof grade a, class 1 of mil-s-901
Frequency In Hertz:
60.0
Shelf Life:
N/a
Unit Of Measure:

Demilitarization:
No
Fiig:
A541b0