

View Online at <https://aerobasegroup.com/nsn/6115-00-689-4488>

**Prime Mover Cooling Medium:**

Liquid

**Mounting Type:**

Skid

**Overall Length:**

123.000 inches

**Overall Height:**

72.000 inches

**Overall Width:**

42.000 inches

**Current Type:**

Ac

**Frequency Rating:**

Between 50.0 hertz and 60.0 hertz

**Cooling Method:**

Radiator

**Inclosure Type:**

Fully enclosed

**Identifying Number:**

101-20049 part no.

**Winterization Feature:**

Included

**Manufacturer Name:**

Kato engineering co

**Ac Wattage Rating:**

100.0 kilowatts and 100.0 kilowatts and 75.0 kilowatts and 75.0 kilowatts

**Line To Line Voltage In Volts:**

416.0 and 208.0 and 380.0 and 190.0

**Line To Neutral Voltage In Volts:**

240.0 and 120.0 and 220.0 and 110.0

**Power Factor In Percent:**

0.8 and 0.8 and 0.8 and 0.8

**Excitor Type:**

Separately excited

**Excitor:**

Included

**Prime Mover Starting Method:**

Electric motor

**Cranking Voltage In Volts:**

24.0

**Automatic Starting Feature:**

Not provided

**Prime Mover Manufacturer Name:**

Cummins engine co

**Prime Mover Identifying Number:**

Nh220 model no.

**Housing Type:**

Inclosed

**Ambient Temperature In Deg Celsius:**

25.0

**Tempurature Rise Rating In Deg Celsius For Continuous Operation:**

60.0

**Radio Interference Suppression:**

Included

**Phase:**

Three and three and three and three

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

T322-a