NSN 6115-00-810-5256

Diesel Engine Generator Set - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/6115-00-810-5256

| Prime Mover Cooling Medium: |
|--|
| Liquid |
| Mounting Type: |
| Skid shock |
| Overall Length: |
| 121.000 inches |
| Overall Height: |
| 62.500 inches |
| Overall Width: |
| 37.000 inches |
| Current Type: |
| Ac |
| Frequency Rating: |
| 60.0 hertz |
| Cooling Method: |
| Radiator |
| End Application: |
| Sm-80 |
| Item Name Assigned By Government Agency: |
| Generator set |
| Identifying Number: |
| Part no. E1330d1329m914 |
| Winterization Feature: |
| Not included |
| Manufacturer Name: |
| Kurz and root |
| Ac Wattage Rating: |
| 60.0 kilowatts |
| Line To Line Voltage In Volts: |
| 208.0 |
| Power Factor In Percent: |
| 0.8 |
| Excitor Type: |
| Separately excited |
| Excitor: |
| Included |
| Prime Mover Starting Method: |
| Electric motor |
| Cranking Voltage In Volts: |
| 24.0 |
| Automatic Starting Feature: |
| Not provided |

NSN 6115-00-810-5256

Diesel Engine Generator Set - Page 2 of 2



| Prime Mover Manufacturer Name: | |
|--|--|
| Buda co | |
| Prime Mover Identifying Number: | |
| Part no. 6dc-844 | |
| Housing Type: | |
| Open | |
| Ambient Tempurature In Deg Celsius: | |
| 54.0 | |
| Tempurature Rise Rating In Deg Celsius For Continuous Operation: | |
| 50.0 | |
| Radio Interference Suppression: | |
| Included | |
| Phase: | |
| Three | |
| Reference Number Differentiating Characteristics: | |
| Except as modified by af dwg 61h40463 | |
| Shelf Life: | |
| N/a | |
| Unit Of Measure: | |
| | |
| Demilitarization: | |
| No | |
| Fiig: | |
| T322-a | |
| | |