

View Online at <https://aerobasegroup.com/nsn/6115-01-561-7329>

**Prime Mover Cooling Medium:**

Liquid

**Mounting Type:**

Skid

**Overall Length:**

69.750 inches

**Overall Height:**

35.750 inches

**Overall Width:**

35.750 inches

**Current Type:**

Ac

**Frequency Rating:**

Between 50.0 hertz and 60.0 hertz

**Cooling Method:**

Radiator

**End Application:**

Mep-1030

**Inclosure Type:**

Fully enclosed

**Winterization Feature:**

Not included

**Unpackaged Unit Weight:**

750.000 pounds

**Ac Wattage Rating:**

5.0 kilowatts

**Line To Line Voltage In Volts:**

208.0

**Power Factor In Percent:**

80.0

**Prime Mover Starting Method:**

Electric motor

**Cranking Voltage In Volts:**

24.0

**Automatic Starting Feature:**

Not provided

**Housing Type:**

Inclosed

**Ambient Temperature In Deg Celsius:**

-31.7

**Temperature Rise Rating In Deg Celsius For Continuous Operation:**

90.0

**Radio Interference Suppression:**

Included

**Phase:**

Three

**Special Features:**

Electrical output reconnectable for 120volt, single phase, 2wire; 120/240volt, single phase, 3wire; or 120/208volt, three phase, 4wire.

**Functional Description:**

Tactical skid mounted power source, class 2b utility, operates on diesel or jp8 fuels, uses standard military oil and coolants.

**Relationship To Similar Equipment:**

The 5kw ammps generator will replace the 5kw tqgs in the field, presenting a lighter, more fuel efficient set with small logistics footprint.

**Type/model Designation:**

Pu-825/g

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

T322-a