

View Online at <https://aerobasegroup.com/nsn/6120-00-889-7127>

Reliability Indicator:

Not established

Center To Center Distance Between Mounting Facilities Parallel To Length:

12.000 inches single mounting facility single center group

Center To Center Distance Between Mounting Facilities Parallel To Width:

9.000 inches single mounting facility single center group

Overall Height:

9.594 inches

Mounting Hole Diameter:

0.438 inches single group

Frequency Rating:

400.0 hertz single component

Input-output Phase Relationship:

Three phase to two phase single component

Winding Shielding Method:

Internal shield brought out to terminal single component

Body Length:

Between 12.875 inches and 13.000 inches

Body Width:

Between 10.375 inches and 10.500 inches

Body Height:

Between 6.250 inches and 6.438 inches

Inclosure Type:

Hermetically sealed

Mounting Facility Quantity:

4 single group

Mounting Method:

Flange single group and unthreaded hole single group

Winding Function And Quantity:

1 primary single component and 2 secondary single component

Winding Operating Current:

1.8 amperes ac single component 2nd secondary

Winding Operating Voltage:

6.00 ac kilovolts single component 2nd secondary

Terminal Type And Quantity:

6 standoff insulator and 4 standoff, threaded stud and 1 threaded stud

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A058b0