NSN 6130-00-284-0210

Metallic Rectifier - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/6130-00-284-0210 **Terminal Quantity: Terminal Type:** Solder lug **Tempurature Rating:** 105.0 degrees celsius **Overall Height:** 1.438 inches **Overall Width:** 0.969 inches **Mounting Method:** Bolt **Environmental Protection:** Moisture **End Application:** Dwg no. J68326a-1 **Circuit Connection Style Designator:** Bridge 1 phase **Individual Stack Circuit Connection Style Designator:** Doubler 1 phase **Mounting Configuration:** 2 mtg bolts 0.164 in. -32 thd on 1 in. Mtg centers **Inclosure Feature:** Unenclosed **Rms Input Maximum Voltage Rating:** 18.0 volts **Dc Output Maximum Current Rating:** 75.000 milliamperes Load Type: Resistive **Dc Output Maximum Voltage Rating:** 12.0 volts new **Stack Quantity:** 2 **Grounded Terminal:** Not included Stacklength: **2.313 inches** Material: Copper oxide

Material:

Copper and silver

NSN 6130-00-284-0210

Metallic Rectifier - Page 2 of 2



| _ | | | | | |
|---|----|------|---|--------|--|
| c | hο | JIF. | | .ife: | |
| J | | | _ | .II C. | |

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

T327-b