## NSN 6130-00-458-3006

Power Supply - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/6130-00-458-3006

Overall Length:         7.430 inches         Overall Height:         4.310 inches         Overall Width:         5.060 inches         Electrical Power Source Relationship:         Operating         Input Phase:         Single single operating power rqmt         Input Voltage Rating:         115.0 ac volts single operating power rqmt         Output Voltage Rating:         12.0 dc volts single operating power rqmt and 400.0 hertz single operating power rqmt         Operating Ambient Tempurature Range:         +4.4/+46.1 degrees celsius         Output Control Quantity:         1 single power output         Rectification Method:         Single phase full wave center tap         Features Provided:         Filter         Output Current Rating:         2.5 dc amperes single power output
<ul> <li>4.310 inches</li> <li>Overall Width:</li> <li>5.060 inches</li> <li>Electrical Power Source Relationship:</li> <li>Operating</li> <li>Input Phase:</li> <li>Single single operating power rqmt</li> <li>Input Voltage Rating:</li> <li>115.0 ac volts single operating power rqmt</li> <li>Output Voltage Rating:</li> <li>12.0 dc volts single power output</li> <li>Input Frequency Rating:</li> <li>50.0 hertz single operating power rqmt and 400.0 hertz single operating power rqmt</li> <li>Operating Ambient Tempurature Range:</li> <li>+4.4/+46.1 degrees celsius</li> <li>Output Control Quantity:</li> <li>1 single power output</li> <li>Rectification Method:</li> <li>Single phase full wave center tap</li> <li>Features Provided:</li> <li>Filter</li> <li>Output Current Rating:</li> <li>2.5 dc amperes single power output</li> </ul>
Overall Width:5.060 inchesElectrical Power Source Relationship:OperatingInput Phase:Single single operating power rqmtInput Voltage Rating:115.0 ac volts single operating power rqmtOutput Voltage Rating:12.0 dc volts single power outputInput Frequency Rating:50.0 hertz single operating power rqmt and 400.0 hertz single operating power rqmtOperating Ambient Tempurature Range:+4.4/+46.1 degrees celsiusOutput Control Quantity:1 single power outputRectification Method:Single phase full wave center tapFeatures Provided:FilterOutput Current Rating:2.5 dc amperes single power output
<ul> <li>5.060 inches</li> <li>Electrical Power Source Relationship:</li> <li>Operating</li> <li>Input Phase:</li> <li>Single single operating power rqmt</li> <li>Input Voltage Rating:</li> <li>115.0 ac volts single operating power rqmt</li> <li>Output Voltage Rating:</li> <li>12.0 dc volts single power output</li> <li>Input Frequency Rating:</li> <li>50.0 hertz single operating power rqmt and 400.0 hertz single operating power rqmt</li> <li>Operating Ambient Tempurature Range:</li> <li>+4.4/+46.1 degrees celsius</li> <li>Output Control Quantity:</li> <li>1 single power output</li> <li>Rectification Method:</li> <li>Single phase full wave center tap</li> <li>Features Provided:</li> <li>Filter</li> <li>Output Current Rating:</li> <li>2.5 dc amperes single power output</li> </ul>
Electrical Power Source Relationship: Operating Input Phase: Single single operating power rqmt Input Voltage Rating: 115.0 ac volts single operating power rqmt Output Voltage Rating: 12.0 dc volts single power output Input Frequency Rating: 50.0 hertz single operating power rqmt and 400.0 hertz single operating power rqmt Operating Ambient Tempurature Range: +4.4/+46.1 degrees celsius Output Control Quantity: 1 single power output Rectification Method: Single phase full wave center tap Features Provided: Filter Output Current Rating: 2.5 dc amperes single power output
OperatingInput Phase:Single single operating power rqmtInput Voltage Rating:115.0 ac volts single operating power rqmtOutput Voltage Rating:12.0 dc volts single power outputInput Frequency Rating:50.0 hertz single operating power rqmt and 400.0 hertz single operating power rqmtOperating Ambient Tempurature Range:+4.4/+46.1 degrees celsiusOutput Control Quantity:1 single power outputRectification Method:Single phase full wave center tapFeatures Provided:FilterOutput Current Rating:2.5 dc amperes single power output
Input Phase: Single single operating power rqmt Input Voltage Rating: 115.0 ac volts single operating power rqmt Output Voltage Rating: 12.0 dc volts single power output Input Frequency Rating: 50.0 hertz single operating power rqmt and 400.0 hertz single operating power rqmt Operating Ambient Tempurature Range: +4.4/+46.1 degrees celsius Output Control Quantity: 1 single power output Rectification Method: Single phase full wave center tap Features Provided: Filter Output Current Rating: 2.5 dc amperes single power output
Angele single operating power rqmtInput Voltage Rating:115.0 ac volts single operating power rqmtOutput Voltage Rating:12.0 dc volts single power outputInput Frequency Rating:50.0 hertz single operating power rqmt and 400.0 hertz single operating power rqmtOperating Ambient Tempurature Range:+4.4/+46.1 degrees celsiusOutput Control Quantity:1 single power outputRectification Method:Single phase full wave center tapFliterOutput Current Rating:2.5 dc amperes single power output
Input Voltage Rating: 115.0 ac volts single operating power rqmt Output Voltage Rating: 12.0 dc volts single power output Input Frequency Rating: 50.0 hertz single operating power rqmt and 400.0 hertz single operating power rqmt Operating Ambient Tempurature Range: +4.4/+46.1 degrees celsius Output Control Quantity: 1 single power output Rectification Method: Single phase full wave center tap Features Provided: Filter Output Current Rating: 2.5 dc amperes single power output
<ul> <li>115.0 ac volts single operating power rqmt</li> <li>Output Voltage Rating:</li> <li>12.0 dc volts single power output</li> <li>Input Frequency Rating:</li> <li>50.0 hertz single operating power rqmt and 400.0 hertz single operating power rqmt</li> <li>Operating Ambient Tempurature Range:</li> <li>+4.4/+46.1 degrees celsius</li> <li>Output Control Quantity:</li> <li>1 single power output</li> <li>Rectification Method:</li> <li>Single phase full wave center tap</li> <li>Features Provided:</li> <li>Filter</li> <li>Output Current Rating:</li> <li>2.5 dc amperes single power output</li> </ul>
Output Voltage Rating:12.0 dc volts single power outputInput Frequency Rating:50.0 hertz single operating power rqmt and 400.0 hertz single operating power rqmtOperating Ambient Tempurature Range:+4.4/+46.1 degrees celsiusOutput Control Quantity:1 single power outputRectification Method:Single phase full wave center tapFeatures Provided:FilterOutput Current Rating:2.5 dc amperes single power output
<ul> <li>12.0 dc volts single power output</li> <li>Input Frequency Rating:</li> <li>50.0 hertz single operating power rqmt and 400.0 hertz single operating power rqmt</li> <li>Operating Ambient Tempurature Range:</li> <li>+4.4/+46.1 degrees celsius</li> <li>Output Control Quantity:</li> <li>1 single power output</li> <li>Rectification Method:</li> <li>Single phase full wave center tap</li> <li>Features Provided:</li> <li>Filter</li> <li>Output Current Rating:</li> <li>2.5 dc amperes single power output</li> </ul>
Input Frequency Rating: 50.0 hertz single operating power rqmt and 400.0 hertz single operating power rqmt Operating Ambient Tempurature Range: +4.4/+46.1 degrees celsius Output Control Quantity: 1 single power output 1 single power output Rectification Method: Single phase full wave center tap Features Provided: Filter Output Current Rating: 2.5 dc amperes single power output
<ul> <li>50.0 hertz single operating power rqmt and 400.0 hertz single operating power rqmt</li> <li>Operating Ambient Tempurature Range:</li> <li>+4.4/+46.1 degrees celsius</li> <li>Output Control Quantity:</li> <li>1 single power output</li> <li>Rectification Method:</li> <li>Single phase full wave center tap</li> <li>Features Provided:</li> <li>Filter</li> <li>Output Current Rating:</li> <li>2.5 dc amperes single power output</li> </ul>
Operating Ambient Tempurature Range: +4.4/+46.1 degrees celsius Output Control Quantity: 1 single power output Rectification Method: Single phase full wave center tap Features Provided: Filter Output Current Rating: 2.5 dc amperes single power output
+4.4/+46.1 degrees celsius Output Control Quantity: 1 single power output Rectification Method: Single phase full wave center tap Features Provided: Filter Output Current Rating: 2.5 dc amperes single power output
Output Control Quantity:1 single power outputRectification Method:Single phase full wave center tapFeatures Provided:FilterOutput Current Rating:2.5 dc amperes single power output
1 single power output Rectification Method: Single phase full wave center tap Features Provided: Filter Output Current Rating: 2.5 dc amperes single power output
Rectification Method:         Single phase full wave center tap         Features Provided:         Filter         Output Current Rating:         2.5 dc amperes single power output
Single phase full wave center tap Features Provided: Filter Output Current Rating: 2.5 dc amperes single power output
Features Provided:         Filter         Output Current Rating:         2.5 dc amperes single power output
Filter Output Current Rating: 2.5 dc amperes single power output
Output Current Rating: 2.5 dc amperes single power output
2.5 dc amperes single power output
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A39900