## NSN 6130-00-548-0836

Metallic Rectifier - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/6130-00-548-0836 **Terminal Quantity: Terminal Type:** Solder lug **Overall Length:** 6.875 inches **Tempurature Rating:** 40.0 degrees celsius **Overall Height:** 1.500 inches **Overall Width:** 1.500 inches **Mounting Method:** Bracket and stud **Environmental Protection:** Fungus and moisture and salt spray resistant **Circuit Connection Style Designator:** Bridge 1 phase **Absolute Maximum Voltage Rating In Volts Per Characteristic:** 33.0 forward voltage, total rms **Mounting Configuration:** Four 5/32 in. By 1/2 in. Mtg slots on 6-5/16 in. By 3/4 in. Mtg centers **Absolute Maximum Power Rating Per Characteristic:** 158.4 watts total power dissipation **Rms Input Maximum Voltage Rating:** 264.0 volts **Dc Output Maximum Current Rating:** 600.000 milliamperes Load Type: Resistive and inductive **Dc Output Maximum Voltage Rating:** 211.0 volts new **Stack Quantity:** 1 **Grounded Terminal:** Not included Material: Selenium Material:

N/a

Selenium Shelf Life:

## **NSN 6130-00-548-0836** Metallic Rectifier - Page 2 of 2



ı	In	it I	Of	· M	دما	e i	ıre:
ι	JΝ	II '	ωı	IV	еа	SU	ıre:

Demilitarization:

No

Fiig:

T327-b