NSN 6130-00-553-1545

Metallic Rectifier - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/6130-00-553-1545

| T |
|---|
| Terminal Quantity: |
| 4 |
| Terminal Type: |
| Solder lug |
| Overall Length: |
| 4.062 inches |
| Tempurature Rating: |
| 40.0 degrees celsius |
| Overall Height: |
| 2.000 inches |
| Overall Width: |
| 2.000 inches |
| Mounting Method: |
| Stud |
| Environmental Protection: |
| Fungus and moisture |
| Circuit Connection Style Designator: |
| Bridge 1 phase |
| Mounting Configuration: |
| 1/4-20 axial stud protruding 3/8 in. Ea end |
| Absolute Maximum Power Rating Per Characteristic: |
| 93.6 watts total power dissipation |
| Rms Input Maximum Voltage Rating: |
| 78.0 volts |
| Dc Output Maximum Current Rating: |
| 1.200 amperes |
| Load Type: |
| Inductive and resistive |
| Dc Output Maximum Voltage Rating: |
| 60.0 volts new |
| Stack Quantity: |
| 1 |
| Grounded Terminal: |
| Not included |
| Material: |
| Selenium |
| Material: |
| Selenium |
| Shelf Life: |
| N/a |
| Unit Of Measure: |

--

NSN 6130-00-553-1545

Metallic Rectifier - Page 2 of 2



Demilitarization:

No

Fiig:

T327-b