NSN 6130-00-635-3413

Metallic Rectifier - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/6130-00-635-3413

| Terminal Quantity: |
|--------------------------------------|
| 4 |
| Terminal Type: |
| Solder lug |
| Overall Length: |
| 1.250 inches |
| Tempurature Rating: |
| |
| 35.0 degrees celsius |
| Overall Height: |
| 1.531 inches |
| Overall Width: |
| 1.250 inches |
| Mounting Method: |
| Holes |
| Environmental Protection: |
| Moisture |
| Circuit Connection Style Designator: |
| Bridge 1 phase |
| Mounting Configuration: |
| 0.140 in. Diameter axial mtg hole |
| Rms Input Maximum Voltage Rating: |
| 25.0 volts |
| Dc Output Maximum Current Rating: |
| 150.000 milliamperes |
| Load Type: |
| Resistive and inductive |
| Dc Output Maximum Voltage Rating: |
| 20.0 volts new |
| Stack Quantity: |
| 1 |
| Grounded Terminal: |
| Not included |
| Material: |
| Selenium |
| Material: |
| Selenium |
| Shelf Life: |
| N/a |
| Unit Of Measure: |
| _ |
| Demilitarization: |

Yes - demil/mli

NSN 6130-00-635-3413 Metallic Rectifier - Page 2 of 2



Fiig:

T327-b