NSN 6130-00-810-0740

Metallic Rectifier - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/6130-00-810-0740

| Terminal Quantity: |
|-----------------------------------------|
| 4 |
| Terminal Type: |
| Solder lug |
| Overall Length: |
| 5.125 inches |
| Tempurature Rating: |
| 35.0 degrees celsius |
| Overall Height: |
| 7.250 inches |
| Overall Width: |
| 5.000 inches |
| Mounting Method: |
| Bolt |
| Environmental Protection: |
| Fungus and moisture |
| Circuit Connection Style Designator: |
| Bridge 1 phase |
| Mounting Configuration: |
| One bolt centrally located through axix |
| Rms Input Maximum Voltage Rating: |
| 40.0 volts |
| Dc Output Maximum Current Rating: |
| 9.800 amperes |
| Load Type: |
| Inductive and resistive |
| Dc Output Maximum Voltage Rating: |
| 30.0 volts new |
| Stack Quantity: |
| 1 |
| Grounded Terminal: |
| Not included |
| Material: |
| Selenium |
| Material: |
| Selenium |
| Shelf Life: |
| N/a |
| Unit Of Measure: |
| |
| Demilitarization: |

No

NSN 6130-00-810-0740Metallic Rectifier - Page 2 of 2



Fiig:

T327-b