

View Online at <https://aerobasegroup.com/nsn/6130-01-225-7031>

Overall Length:

7.047 inches

Overall Height:

3.172 inches

Overall Width:

3.719 inches

Environmental Protection:

Fungus proof

Document Source:

80103

Electrical Power Source Relationship:

Operating

Installation Design:

Rack

Input Phase:

Single single operating power rqmt

Frequency Regulation Percent:

0.01 single power output

Input Voltage Rating:

105.0 ac pounds per hour dry single operating power rqmt and 132.0 ac pounds per hour with retaining chain single operating power rqmt

Output Voltage Rating:

28.0 dc volts single power output

Input Frequency Rating:

47.0 hertz single operating power rqmt and 440.0 hertz single operating power rqmt

Operating Ambient Temperature Range:

-20.0/+71.0 degrees celsius

Output Control Quantity:

1 single power output

Output Control Type:

Voltage adjustment single power output

Features Provided:

Circuit overload protection device and over current protector and potentiometer

Criticality Code Justification:

Feat

Output Current Rating:

0.6 dc amperes single power output and 1.0 dc amperes single power output

Power Supply Output Current/voltage Characteristics:

Limiting current single power output

Ripple Voltage At Full Load:

250.0 microvolts rms single power output

Output Control Location:

Front panel single power output

Output Connection Quantity:

2 single power output

Output Connection Type:

Solder lug single power output

Input Connection Type:

Solder lug single operating power rqmt

Input Connection Quantity:

2 single operating power rqmt

Ventilation Design Type:

Convection

Special Features:

Barrier strip added to rear deck

Fsc Application Data:

Test set, elect. Equip.

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A39900