## NSN 6130-01-259-0375

Power Supply - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/6130-01-259-0375

| Overall Length:  |
|--|
| 10.000 inches  |
| Overall Height:  |
| 2.750 inches   |
| Overall Width:   |
| 9.000 inches   |
| Environmental Protection:  |
| Fungus proof   |
| End Application:   |
| Trans module station   |
| Maximum Operating Altitude Rating:   |
| 15000.0 feet   |
| Electrical Power Source Relationship:  |
| Operating  |
| Input Phase:   |
| Single single operating power rqmt   |
| Input Voltage Rating:  |
| 103.5 ac pounds per hour dry single operating power rqmt and 129.0 ac pounds per hour with retaining chain single operating power rqmt |
| Output Voltage Rating:   |
| 7.1 dc volts 5th power output  |
| Input Frequency Rating:  |
| 57.0 hertz 2nd alternate operating power rqmt and 63.0 hertz 2nd alternate operating power rqmt  |
| Operating Ambient Tempurature Range:   |
| -10.0/+55.0 degrees celsius  |
| Features Provided:   |
| Over voltage protector and input to output isolation and input to case isolation and output to case isolation                          |
| Criticality Code Justification:  |
| Feat   |
| Output Current Rating:   |
| 7.0 dc amperes 5th power output  |
| Output Connection Quantity:  |
| 13 single power output   |
| Output Connection Type:  |
| Terminal strip single power output   |
| Input Connection Type:   |
| Terminal strip single operating power rqmt   |
| Input Connection Quantity:   |
| 2 single operating power rqmt  |
| Ventilation Design Type:   |
| Convection   |
| Power Supply Efficiency Line:  |

72.0

## NSN 6130-01-259-0375

Power Supply - Page 2 of 2



| Special | Features: |
|---------|-----------|
|---------|-----------|

Nuclear hardened item

Shelf Life:

N/a

**Unit Of Measure:** 

--

Demilitarization:

Yes - demil/mli

Fiig:

A39900