

View Online at <https://aerobasegroup.com/nsn/6130-01-387-0466>

**Overall Length:**

8.500 inches

**Overall Width:**

3.130 inches

**End Application:**

Reu h; used on: an/mst-t (v) ; nextassembly p/n 3003443 or 3004043 or 3004006

**Maximum Operating Altitude Rating:**

8000.0 feet

**Electrical Power Source Relationship:**

Operating

**Input Phase:**

Single single operating power rqmt

**Input Voltage Rating:**

103.0 ac pounds per hour dry single operating power rqmt and 127.0 ac pounds per hour with retaining chain single operating power rqmt

**Output Voltage Rating:**

5.0 dc volts 1st power output

**Input Frequency Rating:**

47.0 hertz single operating power rqmt and 500.0 hertz single operating power rqmt

**Operating Ambient Temperature Range:**

-40.0/+85.0 degrees celsius

**Features Provided:**

Over voltage protector and over current protector and voltage adjustment

**Output Current Rating:**

5.0 dc amperes 1st power output

**Output Control Location:**

Front panel 3rd power output

**Output Connection Quantity:**

1 3rd power output

**Output Connection Type:**

Connector, receptacle 3rd power output

**Input Current Rating:**

0.2 ac amperes single operating power rqmt and 2.7 ac amperes single operating power rqmt

**Input Connection Type:**

Connector, receptacle single operating power rqmt

**Input Connection Quantity:**

1 single operating power rqmt

**Ventilation Design Type:**

Convection

**Special Features:**

Ac input connector p/n m83723/77w1203n; dc output connector type m83723/78w2016n; cooling is through baseplate mounting surface; output voltage adjustment porm 5 percent range from by means of external potentiometers

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A39900