NSN 6130-01-576-5872

Product Name:

Extreme environment power supply

Ruggedised Dc Uninterrupted Power Supply System - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/6130-01-576-5872

Overall Length:
7.000 inches
Overall Height:
1.800 inches
Overall Width:
4.730 inches
Environmental Protection:
Weatherproof
End Application:
Electrical equipment
Input Phase:
Single single operating power rqmt
Frequency Regulation Percent:
2.0 single power output
Input Voltage Rating:
100.0 ac volts single operating power rqmt and 264.0 ac volts single operating power rqmt
Output Voltage Rating:
24.0 dc volts single power output
Input Frequency Rating:
50.0 hertz single operating power rqmt and 400.0 hertz single operating power rqmt
Output Wattage Rating:
95.0 watts single power output
Rectification Method:
Converter dc to dc
Features Provided:
Over current protector and over voltage protector
Output Current Rating:
3.8 amperes any acceptable single power output
Power Supply Output Current/voltage Characteristics:
Constant current single power output and constant voltage single power output
Output Connection Quantity:
1 single power output
Output Connection Type:
Quick disconnect single power output
Input Current Rating:
0.7 volt-ampere any acceptable single operating power rqmt and 1.6 volt-ampere any acceptable single operating power rqmt
Input Connection Type:
Quick disconnect single operating power rqmt
Input Connection Quantity:
1 single operating power rqmt

NSN 6130-01-576-5872

Ruggedised Dc Uninterrupted Power Supply System - Page 2 of 2



Special Features:

Input connector 3-pin ip67 molded plug (quick disconnect); ouput connector 4-pin ip67 molded receptacle (quick disconnect); universal input; dc ok green lcd; for stand alone applications; can be mounted in any orientation without limitations

Material Specification:

I+66/67 versatle and nema 4x national std/spec single material response

Special Test Features:

Meets ul50 4x enclosure

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fiig:

A39900