NSN 6130-01-595-5399

Power Supply - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/6130-01-595-5399

Overall Length:

91.0 millimeters

End Application:

Switch, flow

Electrical Power Source Relationship:

Operating

Input Phase:

Single single operating power rqmt

Input Voltage Rating:

100.0 ac volts single operating power rqmt and 240.0 ac volts single operating power rqmt

Output Voltage Rating:

24.0 dc volts single power output and 28.0 dc volts single power output

Input Frequency Rating:

50.0 hertz single operating power rqmt and 60.0 hertz single operating power rqmt

Output Frequency Rating:

0.0 hertz single power output

Operating Ambient Tempurature Range:

-10.0/+70.0 degrees celsius

Output Control Quantity:

1 single power output

Output Control Type:

Voltage adjustment single power output

Output Current Rating:

630.0 dc milliamperes single power output and 540.0 dc milliamperes single power output

Output Phase:

Single single power output

Ripple Voltage At Full Load:

50.0 millivolts peak single power output

Output Control Location:

Front panel single power output

Output Connection Quantity:

3 single power output

Output Connection Type:

Screw single power output

Input Current Rating:

170.0 ac milliamperes single operating power rqmt and 280.0 ac milliamperes single operating power rqmt

Input Connection Type:

Screw single operating power rqmt

Input Connection Quantity:

3 single operating power rqmt

Special Features:

Hazardous location rating class 1 div 2; nec class 2; abs/gl/rina (marine); 22.5 w x 75 mm h; 0.29lbs

NSN 6130-01-595-5399

Power Supply - Page 2 of 2



C	ha	Ιf	1	ife	
•	ııe		_	.II C	

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A39900