

View Online at <https://aerobasegroup.com/nsn/6130-01-618-1189>

**Overall Length:**

23.500 inches

**Overall Height:**

5.250 inches

**Overall Width:**

19.000 inches

**End Application:**

Rack assembly, ste, lcs, 60048826+000; 60051259+00 (06401), rack assembly; 60048826+001(06401) , rack assembly, ste

**Electrical Power Source Relationship:**

Operating

**Installation Design:**

Rack or table or wall or floor or portable case

**Frequency Regulation Percent:**

110.0 single power output

**Input Voltage Rating:**

115.0 ac volts single operating power rqmt

**Output Voltage Rating:**

120.0 ac volts single power output

**Input Frequency Rating:**

46.0 hertz and 70.0 hertz single operating power rqmt

**Output Frequency Rating:**

50.00 hertz single power output

**Operating Ambient Temperature Range:**

-4.0 to 131.0 degrees fahrenheit

**Output Control Quantity:**

6 multiple power outputs w/identical ratings

**Features Provided:**

Circuit overload protection device and indicator light

**Output Current Rating:**

2000.0 ac volt-ampere single power output

**Output Connection Quantity:**

6 multiple power outputs w/identical ratings

**Output Connection Type:**

Receptacle, electrical multiple power outputs w/identical ratings

**Input Connection Quantity:**

1 single operating power rqmt

**Product Name:**

Mil specification 2000 va rugged integrated rackmount ups and intelligent power distribution unit combination

**Special Features:**

Distribution panel: output circuits: 6 controlled outputs via solidstate relays; output control: local/remote control panel w/rocker switches, thermal and remote intelock on/off control; output receptacles: nema 5-15r with stainless steel cable restraints; input power connection: ms 3102a-22-2p, 3 pin, threaded locking; also acts as frequency converter, taking 46-70 hertz input, converting to 60 hertz; frequency selection switch available for 50 hertz reqs

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

Yes - demil/mli

**Fig:**

A39900

**Mil-std (military Standard):**

spec.