Battery Charger - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/6130-01-623-7312

| la de sur Mederla                             |
|---|
| Inclosure Material:                           |
| Plastic                                       |
| Overall Depth:                                |
| 35.0 millimeters                              |
| Overall Height:                               |
| 60.0 millimeters                              |
| Overall Width:                                |
| 850.0 millimeters                             |
| Ac Voltage Rating:                            |
| Between 90.0 volts and 264.0 volts            |
| Frequency Rating:                             |
| Between 47.0 hertz and 63.0 hertz             |
| Regulation Type:                              |
| Fixed stage                                   |
| Storage Tempurature Range:                    |
| -40.0 to 85.0 degrees celsius                 |
| End Application:                              |
| 5895-01-556-1797                              |
| Inclosure Type:                               |
| Case  |
| Charger Type:                                 |
| Solid state semiconductor                     |
| Charging Voltage In Volts:                    |
| 12.0  |
| Charging Current Rating In Amps:              |
| 6.00  |
| Charging Regulation Method:                   |
| Controlled                                    |
| Battery Type For Which Designed:              |
| Lithium-ion or nickel-cadmium                 |
| Features Provided:                            |
| Portable                                      |
| Product Name:                                 |
| 53350   |
| Phase:  |
| Single  |
| Specification Data:                           |
| Fcc/cispr 22 class b government specification |
| Shelf Life:                                   |
| N/a   |
| Unit Of Measure:                              |
|   |

---

## NSN 6130-01-623-7312

Battery Charger - Page 2 of 2

Demilitarization:

No

Fiig:

A31600

