## NSN 6145-01-035-2320

Electrical Special Purpose Cable - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/6145-01-035-2320

| Cross Sectional Shape:  |
|---|
| Round   |
| Tempurature Rating:   |
| -55.0 degrees celsius and 105.0 degrees celsius   |
| Cross Section Outside Diameter:   |
| 0.685 inches  |
| Conductor Quantity:   |
| 14  |
| Color Coding Document:  |
| Ntp-04569 specification   |
| Strand Quantity Per Conductor:  |
| 19 all conductors   |
| Conductor Form:   |
| Stranded all conductors   |
| Round Conductor Size:   |
| 20 awg all conductors   |
| Strand Awg Size Per Conductor:  |
| 32 all conductors   |
| Conductor Arrangement And Quantity:   |
| 7 twisted pair  |
| Conductor Grouping Arrangement Type And Quantity:   |
| 7 twisted pair all groups   |
| Voltage Rating:   |
| 600.0 root mean square (rms) operating voltage all conductors   |
| Special Features:   |
| Outer jacket conforms to mil-i-631 class f and sixth grouping arrangement eleventh and twelfth conductor through seventh grouping |
| arrangement thirteenth and fourteenth conductor   |
| Color:  |
| Black 1st position jacket cable   |
| Material:   |
| Plastic polyamide 2nd position jacket all conductors  |
| Material Specification:   |
| Astm b33 assn standard all material responses core conductor all conductors   |
| Surface Treatment:  |
| Tin core conductor all conductors   |
| Surface Treatment Specification:  |
| Astm b33-63 assn standard single treatment response core conductor all conductors   |
| Shelf Life:   |
| N/a   |
| Unit Of Measure:  |
|   |
| Demilitarization:   |

No

## NSN 6145-01-035-2320

Electrical Special Purpose Cable - Page 2 of 2



Fiig:

A077a0