Electrical Special Purpose Cable - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/6145-01-059-3714

#### **Cross Sectional Shape:**

Twist

**Tempurature Rating:** 

200.0 degrees celsius

### **Cross-sectional Height:**

0.146 inches

#### **Cross-sectional Width:**

0.146 inches

#### **Conductor Quantity:**

3

#### Strand Quantity Per Conductor:

19 all conductors

#### **Conductor Form:**

Stranded all conductors

#### **Round Conductor Size:**

22 awg all conductors

### Strand Awg Size Per Conductor:

34 all conductors

### **Conductor Arrangement And Quantity:**

1 twisted together w/no outer covering

#### Voltage Rating:

600.0 root mean square (rms) operating voltage all conductors

#### **Special Features:**

Optional identification method two applies

#### Color:

Green 1st position cover all conductors

## Material:

Plastic polytetrafluoroethylene 1st position primary insulation all conductors or oxide aluminum 1st position primary insulation all conductors

## Material Specification:

Astm b298 federal specification single material response core conductor all conductors

## Precious Material And Location:

Surface all conductors silver

## **Precious Material:**

Silver

## Surface Treatment:

Silver core conductor all conductors

## Surface Treatment Specification:

Astm b298 assn standard single treatment response core conductor all conductors

# Departure From Cited Document:

As modified by color code

## Shelf Life:

N/a

Electrical Special Purpose Cable - Page 2 of 2



Unit Of Measure:

---

Demilitarization:

No

Fiig:

A077a0

Mil-std (military Standard):

Mil-c-27500 spec.