

View Online at <https://aerobasegroup.com/nsn/6145-01-080-0872>

Cross Sectional Shape:

Round

Tempurature Rating:

-65.0 degrees celsius and 200.0 degrees celsius

Cross Section Outside Diameter:

0.191 inches

Conductor Quantity:

3

Strand Quantity Per Conductor:

19 all conductors

Conductor Form:

Stranded all conductors

Round Conductor Size:

18 awg all conductors

Strand Awg Size Per Conductor:

30 all conductors

Conductor Arrangement And Quantity:

3 singles

Voltage Rating:

600.0 root mean square (rms) operating voltage all conductors

Color:

White 1st position jacket cable

Material:

Silver 2nd position shield braid, metallic cable

Material Specification:

Astm b298 assn standard single material response core conductor all conductors

Precious Material And Location:

Surface all conductors silver and surface shield, braid silver

Precious Material:

Silver

Surface Treatment:

Silver core conductor all conductors

Surface Treatment Specification:

Astm b298 assn standard single treatment response core conductor all conductors

Test Data Document:

Mil-dtl-55021/2 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

Specification Data:

81349-mil-dtl-55021/2 government specification

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fig:

A077a0

Mil-std (military Standard):

Mil-dtl-55021 spec.