NSN 6145-01-098-0122

Electrical Wire - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/6145-01-098-0122

Cross Sectional Shape:
Round
Tempurature Rating:
200.0 degrees celsius
Cross Section Outside Diameter:
0.049 inches
Tracer Color:
Blue second tracer single conductor
Strand Quantity Per Conductor:
19 single conductor
Conductor Form:
Stranded single conductor
Round Conductor Size:
22 awg single conductor
Strand Awg Size Per Conductor:
34 single conductor
Voltage Rating:
600.0 root mean square (rms) operating voltage single conductor
Special Features:
openia i cataloni
Single conductor third tracer violet
Single conductor third tracer violet
Single conductor third tracer violet Color:
Single conductor third tracer violet Color: White 1st position cover single conductor
Single conductor third tracer violet Color: White 1st position cover single conductor Material:
Single conductor third tracer violet Color: White 1st position cover single conductor Material: Plastic polytetrafluoroethylene 1st position primary insulation single conductor
Single conductor third tracer violet Color: White 1st position cover single conductor Material: Plastic polytetrafluoroethylene 1st position primary insulation single conductor Surface Treatment:
Single conductor third tracer violet Color: White 1st position cover single conductor Material: Plastic polytetrafluoroethylene 1st position primary insulation single conductor Surface Treatment: Silver core conductor single conductor
Single conductor third tracer violet Color: White 1st position cover single conductor Material: Plastic polytetrafluoroethylene 1st position primary insulation single conductor Surface Treatment: Silver core conductor single conductor Shelf Life:
Single conductor third tracer violet Color: White 1st position cover single conductor Material: Plastic polytetrafluoroethylene 1st position primary insulation single conductor Surface Treatment: Silver core conductor single conductor Shelf Life: N/a
Single conductor third tracer violet Color: White 1st position cover single conductor Material: Plastic polytetrafluoroethylene 1st position primary insulation single conductor Surface Treatment: Silver core conductor single conductor Shelf Life: N/a
Single conductor third tracer violet Color: White 1st position cover single conductor Material: Plastic polytetrafluoroethylene 1st position primary insulation single conductor Surface Treatment: Silver core conductor single conductor Shelf Life: N/a Unit Of Measure:
Single conductor third tracer violet Color: White 1st position cover single conductor Material: Plastic polytetrafluoroethylene 1st position primary insulation single conductor Surface Treatment: Silver core conductor single conductor Shelf Life: N/a Unit Of Measure: Demilitarization:
Single conductor third tracer violet Color: White 1st position cover single conductor Material: Plastic polytetrafluoroethylene 1st position primary insulation single conductor Surface Treatment: Silver core conductor single conductor Shelf Life: N/a Unit Of Measure: Demilitarization: No
Single conductor third tracer violet Color: White 1st position cover single conductor Material: Plastic polytetrafluoroethylene 1st position primary insulation single conductor Surface Treatment: Silver core conductor single conductor Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig: