

View Online at <https://aerobasegroup.com/nsn/6145-01-165-8806>

Cross Sectional Shape:

Round

Tempurature Rating:

-65.0 degrees celsius and 200.0 degrees celsius

Conductor Quantity:

2

Strand Quantity Per Conductor:

7 all conductors

Conductor Form:

Stranded all conductors

Round Conductor Size:

22 awg all conductors

Strand Awg Size Per Conductor:

30 all conductors

Conductor Arrangement And Quantity:

1 twisted pair

Voltage Rating:

600.0 root mean square (rms) operating voltage all conductors

Special Features:

Plastic, polytetrafluoroethylene conforms to I-p-403 type 3

Color:

Black 1st position primary insulation first conductorwhite 1st position primary insulation second conductor

Material:

Copper core conductor all conductorsplastic polytetrafluoroethylene 1st position primary insulation all conductorsplastic polytetrafluoroethylene 2nd position jacket all conductorscopper 3rd position shield braid, metallic cableplastic polytetrafluoroethylene 4th position jacket cable

Material Specification:

Astm b298 assn standard single material response core conductor single conductor

Precious Material And Location:

Surface all conductors silver and surface shield braid silver

Precious Material:

Silver

Surface Treatment:

Silver core conductor all conductors

Surface Treatment Specification:

Astm b298 assn standard single treatment response core conductor all conductors

Departure From Cited Document:

As modified by stand quantity per conductor and strand awg size per conductor

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A077a0