

View Online at https://aerobasegroup.com/nsn/6145-01-167-8366

### **Cross Sectional Shape:**

Round

**Tempurature Rating:** 

150.0 degrees celsius

# Conductor Quantity:

2

#### **Tracer Color:**

Green single tracer second conductor

### Strand Quantity Per Conductor:

19 all conductors

Conductor Form:

Stranded all conductors

# **Round Conductor Size:**

22 awg all conductors

#### Strand Awg Size Per Conductor:

34 all conductors

### **Conductor Arrangement And Quantity:**

2 singles

# Voltage Rating:

600.0 root mean square (rms) operating voltage all conductors

#### Color:

Gray 3rd position jacket cable

Material:

Plastic polytetrafluoroethylene 1st position primary insulation all conductors

### **Material Specification:**

Astm b33 assn standard single material response 2nd position shield braid, metallic cable

### **Precious Material And Location:**

Surface all conductors silver

#### **Precious Material:**

Silver

Surface Treatment:

Tin 2nd position shield braid, metallic cable

### Surface Treatment Specification:

Astm b298 assn standard single treatment response core conductor all conductors

### **Departure From Cited Document:**

As modified by basic body color per conductor and first tracer color per conductor and cable/cord protective covering color

#### Shelf Life:

N/a

#### Unit Of Measure:

--

# Demilitarization:

No

Electrical Special Purpose Cable - Page 2 of 2



Fiig: A077a0

Mil-std (military Standard):

Mil-c-27500 spec.