NSN 6145-01-208-5457

Radio Frequency Cable - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/6145-01-208-5457

| One of Continued Observe |
|---|
| Cross Sectional Shape: |
| Round |
| Electrical Resistance: |
| 68.0 ohms impedance |
| Cross Section Outside Diameter: |
| 0.094 inches |
| Conductor Quantity: |
| 2 |
| Capacitance In Picofarads: |
| 25.0 per foot |
| Strand Quantity Per Conductor: |
| 19 all conductors |
| Conductor Form: |
| Stranded all conductors |
| Round Conductor Size: |
| 26 awg all conductors |
| Strand Awg Size Per Conductor: |
| 38 all conductors |
| Conductor Arrangement And Quantity: |
| 1 twin-axial twisted |
| Special Features: |
| Outer jacket is a translucent violet. |
| Color: |
| Blue 1st position primary insulation second conductor |
| Material: |
| Plastic fluorinated ethylene propylene 3rd position jacket cable |
| Precious Material And Location: |
| Surface all conductors silver and surface shield braid silver |
| Precious Material: |
| Silver |
| Surface Treatment: |
| Silver core conductor all conductors |
| Surface Treatment Specification: |
| Astm b298 assn standard single treatment response core conductor all conductors |
| Shelf Life: |
| N/a |
| Unit Of Measure: |
| |
| Demilitarization: |
| Yes - demil/mli |
| Fiig: |
| A077a0 |