

View Online at <https://aerobasegroup.com/nsn/6145-01-213-5510>

**Cross Sectional Shape:**

Round

**Conductor Quantity:**

11

**Color Coding Document:**

Cw-h0005-33875 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing)

**Strand Quantity Per Conductor:**

19 all conductors

**Conductor Form:**

Stranded all conductors

**Round Conductor Size:**

20 awg all conductors

**Strand Awg Size Per Conductor:**

32 all conductors

**Conductor Arrangement And Quantity:**

11 singles

**Voltage Rating:**

600.0 root mean square (rms) operating voltage all conductors

**Special Features:**

Eighth through eleventh conductor are individually covered with tape plastic polyester (mylar) mil-i-631 type g form f subform tf class 1 and shield braid copper tin covered and jacket plastic polyamide

**Color:**

Red 1st position jacket cable

**Material:**

Plastic polyalkene 1st position primary insulation all conductors

**Material Specification:**

Astm b33 assn standard all material responses core conductor all conductors

**Surface Treatment:**

Tin core conductor all conductors

**Surface Treatment Specification:**

Astm b33-63 assn standard single treatment response core conductor all conductors

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A077a0