NSN 6145-01-231-0328

Telephone Cable - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/6145-01-231-0328

Round Conductor Quantity: 12 Color Coding Document: Pe-39-06160 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification for excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environment and performance requirements and test conditions that are shown as "typical", "average", "", etc.). Conductor Form: Solid all conductors Round Conductor Size: 24 awg all conductors Conductor Arrangement And Quantity: 6 twisted pair Special Features: Gopher resistant Material:	
Color Coding Document: Pe-39-06160 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification for excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environment and performance requirements and test conditions that are shown as "typical", "average", "", etc.). Conductor Form: Solid all conductors Round Conductor Size: 24 awg all conductors Conductor Arrangement And Quantity: 6 twisted pair Special Features: Gopher resistant	
Color Coding Document: Pe-39-06160 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification for excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environment and performance requirements and test conditions that are shown as "typical", "average", "", etc.). Conductor Form: Solid all conductors Round Conductor Size: 24 awg all conductors Conductor Arrangement And Quantity: 6 twisted pair Special Features: Gopher resistant	
Pe-39-06160 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification for excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environment and performance requirements and test conditions that are shown as "typical", "average", "", etc.). Conductor Form: Solid all conductors Round Conductor Size: 24 awg all conductors Conductor Arrangement And Quantity: 6 twisted pair Special Features: Gopher resistant	
excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environment and performance requirements and test conditions that are shown as "typical", "average", "", etc.). Conductor Form: Solid all conductors Round Conductor Size: 24 awg all conductors Conductor Arrangement And Quantity: 6 twisted pair Special Features: Gopher resistant	
and performance requirements and test conditions that are shown as "typical", "average", "", etc.). Conductor Form: Solid all conductors Round Conductor Size: 24 awg all conductors Conductor Arrangement And Quantity: 6 twisted pair Special Features: Gopher resistant	ntal
Conductor Form: Solid all conductors Round Conductor Size: 24 awg all conductors Conductor Arrangement And Quantity: 6 twisted pair Special Features: Gopher resistant	
Solid all conductors Round Conductor Size: 24 awg all conductors Conductor Arrangement And Quantity: 6 twisted pair Special Features: Gopher resistant	
Round Conductor Size: 24 awg all conductors Conductor Arrangement And Quantity: 6 twisted pair Special Features: Gopher resistant	
24 awg all conductors Conductor Arrangement And Quantity: 6 twisted pair Special Features: Gopher resistant	
Conductor Arrangement And Quantity: 6 twisted pair Special Features: Gopher resistant	
6 twisted pair Special Features: Gopher resistant	
Special Features: Gopher resistant	
Gopher resistant	
Material:	
Copper alloy 101 or copper alloy 102 or copper alloy 104 or copper alloy 105 or copper alloy 107 or copper alloy 110 or copper alloy 107 or copper alloy 108 or copper	у 111
or copper alloy 113 or copper alloy 114 or copper alloy 115 or copper alloy 116 core conductor all conductors	
Material Specification:	
Astm b3 assn standard single material response core conductor single conductor	
Shelf Life:	
N/a	
Unit Of Measure:	
Demilitarization:	
No	
Fiig:	
A077a0	