

View Online at <https://aerobasegroup.com/nsn/6145-01-237-2200>

Cross Sectional Shape:

Round

Tempurature Rating:

-65.0 degrees celsius and 200.0 degrees celsius

Cross Section Outside Diameter:

0.149 inches

Conductor Quantity:

2

Strand Quantity Per Conductor:

19 all conductors

Conductor Form:

Stranded all conductors

Round Conductor Size:

22 awg all conductors

Strand Awg Size Per Conductor:

34 all conductors

Conductor Arrangement And Quantity:

2 singles

Voltage Rating:

600.0 root mean square (rms) operating voltage all conductors

Color:

White 1st position primary insulation first conductorblack 1st position primary insulation second conductorwhite 3rd position jacket cable

Material:

Copper core conductor all conductorsplastic polytetrafluoroethylene 1st position primary insulation all conductorscopper 2nd position shield braid, metallic cableplastic polytetrafluoroethylene 3rd position jacket cable

Material Specification:

Astm b298 federal specification single material response core conductor all conductors

Precious Material And Location:

Surface all conductors silver and surface shield braid silver

Precious Material:

Silver

Surface Treatment:

Silver core conductor all conductors

Surface Treatment Specification:

Astm b298 assn standard single treatment response 2nd position shield braid, metallic cable

Departure From Cited Document:

As modified by basic body color second conductor

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A077a0

Mil-std (military Standard):

Mil-c-27500 spec.