

View Online at <https://aerobasegroup.com/nsn/6145-01-243-9210>

Cross Sectional Shape:

Twist

Tempurature Rating:

-62.0 degrees celsius and 200.0 degrees celsius

Conductor Quantity:

2

Tracer Color:

Brown first tracer second conductor

Color Coding Document:

Mil-std-681-81349 standard

Conductor Form:

Solid all conductors

Round Conductor Size:

22 awg all conductors

Conductor Arrangement And Quantity:

1 twisted pair

Voltage Rating:

600.0 root mean square (rms) operating voltage all conductors

Material:

Plastic polytetrafluoroethylene 1st position primary insulation all conductors

Material Specification:

Mil-w-16878 military specification single material response 1st position primary insulation all conductors

Test Data Document:

81349-mil-c-55021 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

Specification Data:

81349-mil-c-55021/2 government specification

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A077a0

Mil-std (military Standard):

Mil-w-16878 spec.