

View Online at <https://aerobasegroup.com/nsn/6145-01-253-3051>

Cross Sectional Shape:

Twist

Tempurature Rating:

55.0 degrees celsius and 200.0 degrees celsius

Cross-sectional Height:

0.084 inches

Cross-sectional Width:

0.084 inches

Conductor Quantity:

4

Strand Quantity Per Conductor:

66 all conductors

Conductor Form:

Stranded all conductors

Round Conductor Size:

26 awg all conductors

Strand Awg Size Per Conductor:

44 all conductors

Conductor Arrangement And Quantity:

1 twisted together w/no outer covering

Voltage Rating:

300.0 root mean square (rms) operating voltage all conductors

Special Features:

Primary insulation polytetrafluoroethylene conforms to I-p-403 type 3 or primary insulation fluorinated ethylene propylene is per I-p-389

Material:

Plastic fluorinated ethylene propylene 1st position primary insulation all conductors or plastic polytetrafluoroethylene 1st position primary insulation all conductors

Material Specification:

Qq-w-343, soft federal specification single material response core conductor all conductors

Precious Material And Location:

Surface all conductors silver

Precious Material:

Silver

Surface Treatment:

Silver core conductor all conductors

Surface Treatment Specification:

Astm b298 assn standard single treatment response core conductor all conductors

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A077a0