NSN 6145-01-277-6279

Radio Frequency Cable - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/6145-01-277-6279

Flat Electrical Resistance: 75.0 ohms impedance Cross-sectional Height: 0.242 inches Cross-sectional Width: 0.505 inches Conductor Quantity: 2 Capacitance In Picofarads: 20.5 per foot Conductor Form: Solid all conductors Round Conductor Size:
75.0 ohms impedance Cross-sectional Height: 0.242 inches Cross-sectional Width: 0.505 inches Conductor Quantity: 2 Capacitance In Picofarads: 20.5 per foot Conductor Form: Solid all conductors
Cross-sectional Height: 0.242 inches Cross-sectional Width: 0.505 inches Conductor Quantity: 2 Capacitance In Picofarads: 20.5 per foot Conductor Form: Solid all conductors
0.242 inches Cross-sectional Width: 0.505 inches Conductor Quantity: 2 Capacitance In Picofarads: 20.5 per foot Conductor Form: Solid all conductors
Cross-sectional Width: 0.505 inches Conductor Quantity: 2 Capacitance In Picofarads: 20.5 per foot Conductor Form: Solid all conductors
0.505 inches Conductor Quantity: 2 Capacitance In Picofarads: 20.5 per foot Conductor Form: Solid all conductors
Conductor Quantity: 2 Capacitance In Picofarads: 20.5 per foot Conductor Form: Solid all conductors
2 Capacitance In Picofarads: 20.5 per foot Conductor Form: Solid all conductors
Capacitance In Picofarads: 20.5 per foot Conductor Form: Solid all conductors
20.5 per foot Conductor Form: Solid all conductors
Conductor Form: Solid all conductors
Solid all conductors
Round Conductor Size:
23 awg all conductors
Conductor Arrangement And Quantity:
2 coaxial
Voltage Rating:
300.0 root mean square (rms) operating voltage all conductors
Material:
Steel core conductor all conductors
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
Yes - demil/mli
Fiig:
A077a0