

View Online at <https://aerobasegroup.com/nsn/6145-01-321-9684>

Cross Sectional Shape:

Round

Tempurature Rating:

150.0 degrees celsius

Conductor Quantity:

4

Strand Quantity Per Conductor:

19 all conductors

Conductor Form:

Stranded all conductors

Round Conductor Size:

22 awg all conductors

Strand Awg Size Per Conductor:

34 all conductors

Conductor Arrangement And Quantity:

4 singles

Voltage Rating:

600.0 root mean square (rms) operating voltage all conductors

Color:

White 1st position primary insulation first conductorblue 1st position primary insulation second conductororange 1st position primary insulation third conductorgreen 1st position primary insulation fourth conductorwhite 4th position jacket cable

Material:

Copper core conductor all conductorsplastic cross-linked polyalkene 1st position primary insulation all conductorsplastic cross-linked polyvinylidene fluoride 2nd position jacket all conductorscopper 3rd position shield braid, metallic cableplastic cross-linked polyvinylidene fluoride 4th position jacket cable

Material Specification:

Astm b33 assn standard single material response core conductor all conductorsastm b33 assn standard single material response 3rd position shield braid, metallic cable

Surface Treatment:

Tin core conductor all conductorstin 3rd position shield braid, metallic cable

Surface Treatment Specification:

Astm b33 assn standard single treatment response core conductor all conductorsastm b33 assn standard single treatment response 3rd position shield braid, metallic cable

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A077a0

Mil-std (military Standard):

Mil-c-27500 spec.