Electrical Power Cable - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/6145-01-351-8702

**Cross Sectional Shape:** 

Round

Tempurature Rating:

200.0 degrees celsius

**Cross Section Outside Diameter:** 

0.236 inches

**Conductor Quantity:** 

4

Strand Quantity Per Conductor:

19 all conductors

Conductor Form:

Stranded all conductors

**Round Conductor Size:** 

16 awg all conductors

Strand Awg Size Per Conductor:

29 all conductors

**Conductor Arrangement And Quantity:** 

1 twisted quad

### Voltage Rating:

600.0 root mean square (rms) operating voltage all conductors

#### **Special Features:**

Outer jacket fabrication method may be extruded or wrapped

# Color:

Black 1st position primary insulation first conductorwhite 1st position primary insulation second conductorred 1st position primary insulation

third conductorgreen 1st position primary insulation fourth conductorwhite 3rd position jacket cable

#### Material:

Copper core conductor all conductorsplastic polytetrafluoroethylene 1st position primary insulation all conductorscopper 2nd position shield

braid, metallic cableplastic polytetrafluoroethylene 3rd position jacket cable

#### Material Specification:

Astm b298 assn standard single material response core conductor all conductors

#### **Precious Material And Location:**

Surface all conductors silver and surface shield braid silver

#### **Precious Material:**

Silver

Surface Treatment:

Silver core conductor all conductorssilver 2nd position shield braid, metallic cable

# Surface Treatment Specification:

Astm b298 assn standard single treatment response core conductor all conductors

## Shelf Life:

N/a

- Unit Of Measure:
- --
- Demilitarization:
- No

# NSN 6145-01-351-8702

Electrical Power Cable - Page 2 of 2

Fiig: A077a0

