2



View Online at https://aerobasegroup.com/nsn/6145-01-352-2807

## **Cross Sectional Shape:** Round **Tempurature Rating:** -65.0 degrees celsius and 200.0 degrees celsius **Cross Section Outside Diameter:** 0.157 inches **Conductor Quantity: Tracer Color:** Blue single tracer second conductor **Strand Quantity Per Conductor:** 19 all conductors **Conductor Form:** Stranded all conductors **Round Conductor Size:** 20 awg all conductors Strand Awg Size Per Conductor: 32 all conductors **Conductor Arrangement And Quantity:** 1 twisted pair Voltage Rating: 600.0 root mean square (rms) operating voltage all conductors Color: White 1st position primary insulation all conductorswhite 3rd position jacket cable Material: Copper core conductor all conductorsplastic polytetrafluoroethylene 1st position primary insulation all conductorscopper 2nd position shield braid, metallic cableplastic polytetrafluoroethylene 3rd position jacket cable **Material Specification:** Astm b298 assn standard single material response core conductor all conductors **Precious Material And Location:** Surface all conductors silver and surface shield braid silver **Precious Material:** Silver Surface Treatment: Silver core conductor all conductorssilver 2nd position shield braid, metallic cable Surface Treatment Specification: Astm b298 assn standard single treatment response core conductor all conductorsastm b298 assn standard single treatment response 2nd position shield braid, metallic cable Shelf Life: N/a Unit Of Measure: **Demilitarization:** No

## NSN 6145-01-352-2807

Electrical Special Purpose Cable - Page 2 of 2

Fiig: A077a0

