

View Online at <https://aerobasegroup.com/nsn/6145-01-352-2808>

**Cross Sectional Shape:**

Round

**Tempurature Rating:**

200.0 degrees celsius

**Cross Section Outside Diameter:**

0.148 inches

**Conductor Quantity:**

2

**Strand Quantity Per Conductor:**

19 all conductors

**Conductor Form:**

Stranded all conductors

**Round Conductor Size:**

20 awg all conductors

**Strand Awg Size Per Conductor:**

32 all conductors

**Conductor Arrangement And Quantity:**

1 parallel pair

**Color:**

Blue, light 1st position primary insulation all conductorsred 2nd position secondary insulation first conductoryellow 2nd position secondary insulation second conductorwhite 5th position jacket cable

**Material:**

Nickel alloy core conductor first conductornickel alloy core conductor second conductorplastic cross-linked modified ethylene tetrafluoroethylene 1st position primary insulation all conductorsplastic cross-linked modified ethylene tetrafluoroethylene 2nd position secondary insulation all conductorscopper 3rd position shield braid, metallic cablecopper 4th position shield braid, metallic cableplastic cross-linked modified ethylene tetrafluoroethylene 5th position jacket cable

**Material Specification:**

Alumel; cage29424 mfr ref single material response core conductor first conductorchromel; cage29424 mfr ref single material response core conductor second conductor

**Precious Material And Location:**

Surface shields braid silver

**Precious Material:**

Silver

**Surface Treatment:**

Silver 3rd position shield braid, metallic cablesilver 4th position shield braid, metallic cable

**Surface Treatment Specification:**

05a153; cage06090 mfr ref single treatment response 3rd position shield braid, metallic cable05a153; cage 06090 mfr ref single treatment response 4th position shield braid, metallic cable

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**