NSN 6145-01-356-3236

Radio Frequency Cable - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/6145-01-356-3236

| view Online at https://aerobasegroup.com/nsn/6145-01-356-3236 |
|--|
| Cross Sectional Shape: |
| Round |
| Electrical Resistance: |
| 95.00 ohms impedance |
| Cross Section Outside Diameter: |
| 0.158 inches |
| Conductor Quantity: |
| 1 |
| Capacitance In Picofarads: |
| 15.4 per foot |
| Strand Quantity Per Conductor: |
| 7 single conductor |
| Conductor Form: |
| Stranded single conductor |
| Round Conductor Size: |
| 30 awg single conductor |
| Strand Awg Size Per Conductor: |
| 38 single conductor |
| Conductor Arrangement And Quantity: |
| 1 coaxial |
| Color: |
| Brown 4th position jacket single conductor |
| Material: |
| Copper alloy core conductor single conductorplastic polytetrafluoroethylene 1st position primary insulation single conductorsteel 2nd positio |
| shield braid, metallic single conductor and copper 2nd position shield braid, metallic single conductorsteel 3rd position shield braid, metallic |
| single conductor and copper 3rd position shield braid, metallic single conductorplastic fluorinated ethylene propylene 4th position jacket |
| single conductor |
| Precious Material And Location: |
| Surface single conductor silver and surface shields braid silver |
| Precious Material: |
| Silver |
| Surface Treatment: |
| Silver core conductor single conductorsilver 2nd position shield braid, metallic single conductorsilver 3rd position shield braid, metallic |
| single conductor |
| Surface Treatment Specification: |
| Astm b298 assn standard single treatment response core conductor single conductor |
| Shelf Life: |
| N/a |
| Unit Of Measure: |
| |
| Demilitarization: |
| No |

A077a0

Fiig: